

**HAVILAND CONSUMER PRODUCTS, INC**  
**SAFETY DATA SHEET**



**Section 1: Identification**

Product Name: ProTeam Spa Multi Shock Extra    Product Code: C005212

Haviland Consumer Products, Inc.  
421 Ann Street NW  
Grand Rapids, MI 49504  
(616) 361-6691

**Emergency Phone:**

CHEMTREC: Canada and USA - (800) 424-9300  
CHEMTREC: In Mexico - 01-800-681-9531

Product Use: Disinfectant, Sanitizer, Algaecide for Spas.

Not recommended for: NA

**Section 2: Hazard(s) Identification**

**GHS Ratings:**

Oxidizing solid	3	Oxidizing solid class 3
Oral Toxicity	Acute Tox. 4	Oral>300+<=2000mg/kg
Inhalation Toxicity	Acute Tox. 3	Gases>500+<=2500ppm, Vapors>2+<=10mg/l, Dusts&mists>0.5+<=1mg/l
Skin corrosive	1C	Destruction of dermal tissue: Exposure < 4 hours Observation < 14 days, visible necrosis in at least one animal
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5
Organ toxin single exposure	3	Transient target organ effects- Narcotic effects- Respiratory tract irritation
Aquatic toxicity	A1	Acute toxicity <= 1.00 mg/l

**GHS Hazards**

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H331	Toxic if inhaled
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life

**GHS Precautions**

P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking
P220	Keep/Store away from clothing and other combustible materials
P221	Take any precaution to avoid mixing with combustibles
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash face, hands, and any exposed skin thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P310	Immediately call a POISON CENTER or doctor/physician

P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P321	Specific treatment (see first aid treatment on SDS)
P330	Rinse mouth
P363	Wash contaminated clothing before reuse
P391	Collect spillage
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.
P304+P340	If inhales: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370+P378	In case of fire: Use suitable media for extinction
P405	Store locked up
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations

**Danger**



**Section 3: Composition/Information on Ingredients**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Disodium carbonate 497-19-8 40 to 50%			
Sodium dichloro-s-triazinetrione 2893-78-9 30 to 40%			

**Section 4: First-aid Measures**

**Inhalation**

Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To prevent aspiration, keep head below knees.

#### Eye Contact

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

#### Skin Contact

Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash clothing separately and clean shoes before reuse.

#### Ingestion

If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

### Section 5: Fire-fighting Measures

#### Extinguishing Media

Large amounts of water. Do not use dry chemicals, carbon dioxide or halogenated extinguishing agents.

#### Specific Hazards Arising from the Chemical

Negligible fire hazard. If heated by outside source to temperatures above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases but no visible flame. Wet material may generate nitrogen trichloride, an explosion hazard. This product is an NFPA Class 3 Oxidizer.

Fire Fighting: Consider evacuation of personnel located downwind. Keep unnecessary people away, isolate hazard area and deny entry. Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Containers which appear undamaged, except for being damp on the outside, should be opened and inspected immediately. DO NOT attempt to reseal contaminated drums. Damp material should be neutralized to a non-oxidizing state.

#### Special Protective Equipment and Precautions for Firefighters

**Special Information:** As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

### Section 6: Accidental Release Measures

#### Spill and Leak Procedures

DO NOT add water to spilled material. DO NOT use floor sweeping compounds to clean up spills. Sweep and scoop spilled material into clean, dedicated equipment. Every attempt should be made to avoid mixing spilled material with other chemicals or debris when cleaning up. DO NOT attempt to reseal contaminated drums. DO NOT transport wet or damp material. Damp material should be neutralized to a non-oxidizing state.

### Section 7: Handling and Storage

#### Handling Procedures

Use with adequate ventilation. Avoid breathing dusts, mists, and vapors. Do not get in eyes, on skin, or on clothing. Wear eye protection and protective clothing. Wash thoroughly after handling.

**STORAGE:** Keep away from heat, sparks, and flame. Store containers in a cool, well ventilated place. Keep container closed when not in use. Protect from direct sunlight.

### Section 8: Exposure Control/Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Disodium carbonate 497-19-8			
Sodium dichloro-s-triazinetrione 2893-78-9			

**RESPIRATORY PROTECTION:** A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.

**SKIN PROTECTION:** Wear impervious protective gloves. Wear protective gear as needed - apron, suit, boots.

**EYE PROTECTION:** Wear safety glasses with side shields (or goggles) and a face shield.

**OTHER PROTECTIVE EQUIPMENT:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**HYGENIC PRACTICES:** Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors. Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash hands before eating.

**Section 9: Physical and Chemical Properties**

<p><b>Appearance:</b> White Powder</p> <p><b>Vapor Pressure:</b> &lt;0.06 Pa @ 20°C</p> <p><b>Vapor Density:</b> Not Available</p> <p><b>Density:</b> 55-57 lbs/ft<sup>3</sup></p> <p><b>Freezing point:</b> Not Available</p> <p><b>Boiling range:</b> Not Available</p> <p><b>Evaporation rate:</b> Not Available</p> <p><b>Explosive Limits:</b> Not Flammable</p> <p><b>Autoignition temperature:</b> Not Available</p> <p><b>Viscosity:</b> Not Available</p>	<p><b>Odor:</b> Slight Chlorine Odor</p> <p><b>Odor threshold:</b> Not Available</p> <p><b>pH:</b> 9-10</p> <p><b>Melting point:</b> Decomposes without melting 252°C</p> <p><b>Solubility:</b> 24.3 g/100 g @ 25°C</p> <p><b>Flash point:</b> Not Available</p> <p><b>Flammability:</b> Not Flammable</p> <p><b>Specific Gravity:</b> Not Available</p> <p><b>Decomposition temperature:</b> 486°F (252°C)</p> <p><b>Grams VOC less water:</b> Not Available</p>
--	---

**Section 10: Stability and Reactivity**

**Chemical Stability:**

STABLE

**Incompatible Materials**

Acid, Alkali, Other chlorine agents, oils/fats and flammable materials

**Conditions to Avoid**

Heat (Keep product under 40 degree C), direct sunlight, water and moisture

**Hazardous Decomposition Products**

Chlorine, Nitrogen trichloride, Hydrogen chloride, Nitrogenoxide, carbon monoxide, carbon dioxide, and nitrogen

**Hazardous Polymerization**

Hazardous polymerization will not occur.

**Section 11: Toxicology Information**

**Mixture Toxicity**

Oral Toxicity LD50: 1,689mg/kg

Inhalation Toxicity LC50: 5mg/L

**Component Toxicity**

497-19-8

Disodium carbonate

Oral LD50: 4,090 mg/kg (Rat) Dermal LD50: 2,210 mg/kg (Mouse) Inhalation LC50: 2,300 mg/m<sup>3</sup>

**Routes of Entry:**

Inhalation  
 Ingestion  
 Skin contact  
 Eye contact

**Target Organs****Effects of Overexposure**

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
-------------------	--------------------	-----------------	--------------------------

**Section 12: Ecological Information****Component Ecotoxicity**

Disodium carbonate	96 Hr LC50 Lepomis macrochirus: 300 mg/L [static]; 96 Hr LC50 Pimephales promelas: 310 - 1220 mg/L [static] 48 Hr EC50 Daphnia magna: 265 mg/L
Sodium dichloro-s-triazinetriene	96 Hr LC50 Lepomis macrochirus: 0.25 - 1 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 0.207 - 0.389 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: 0.176 - 0.267 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: 0.29 mg/L; 96 Hr LC50 Oncorhynchus mykiss: 0.13 - 0.36 mg/L [static] 48 Hr EC50 Daphnia magna: 0.00018 - 0.00021 mg/L; 48 Hr EC50 Daphnia magna: 0.093 - 0.16 mg/L

**Section 13: Disposal Considerations**

Dispose of in accordance with local, state and federal regulations.

**Section 14: Transportation Information**

Non-Bulk Packaging (less than 400kg): Not Regulated unless transported by vessel.

**UN Code:** UN3077

**Proper Shipping Name:** Environmentally hazardous substance, solid, n.o.s.

**Hazard Class:** 9

**Package Group:** III

**Section 15: Regulatory Information**

**EPA Reg. No.** 57787-37

**FIFRA information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**DANGER:** Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Do not breathe dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**Section 16: Other Information**

**Date Prepared:** 2/06/2020

**Disclaimer**

The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.