# HAVILAND CONSUMER PRODUCTS, INC SAFETY DATA SHEET



# Section 1: Identification

Product Name: Proteam Filter Magic Product Code: C003413 Haviland Consumer Products, Inc. 421 Ann Street NW Grand Rapids, MI 49504 (616) 361-6691

Emergency Phone

CHEMTREC: Canada and USA - (800) 424-9300 CHEMTREC: In Mexico - 01-800-681-9531

Product Use: NA Not recommended for: NA

## Section 2: Hazard(s) Identification

# GHS Ratings:

| Corrosive to metals           | 1  | Corrosive to metals  |
|-------------------------------|----|--|
| Skin corrosive                | 1A | Destruction of dermal tissue: Exposure < 3 min. Observation < 1 hour, visible necrosis in at least one animal  |
| Eye corrosive                 | 1  | Serious eye damage: Irreversible damage 21 days after<br>exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5  |
| Respiratory sensitizer        | 1  | Respiratory sensitizer   |
| Organ toxin single exposure   | 1  | Significant toxicity in humans- Reliable, good quality human<br>case studies or epidemiological studies, Presumed<br>significant toxicity in humans- Animal studies with significant<br>and/or severe toxic effects relevant to humans at generally<br>low exposure (guidance) |
| Organ toxin repeated exposure | 1  | Significant toxicity in humans- Reliable, good quality human<br>case studies or epidemiological studies Presumed<br>significant toxicity in humans- Animal studies with significant<br>and/or severe toxic effects relevant to humans at generally<br>low exposure (guidance)  |
| Aquatic toxicity              | A1 | Acute toxicity <= 1.00 mg/l  |

# **GHS Hazards**

| H290 | May be corrosive to metals                                     |
|------|--|
| H314 | Causes severe skin burns and eye damage                        |
| H318 | Causes serious eye damage                                      |
| H334 | May cause allergy or asthma symptoms or breathing difficulties |
|      | if inhaled   |
| H370 | Causes damage to organs  |
| H372 | Causes damage to organs through prolonged or repeated          |
| H400 | exposure<br>Very toxic to aquatic life                         |

# **GHS Precautions**

| P234 | Keep only in original container         |
|------|---|
| P260 | Do not breathe                          |
|      | dust/fume/gas/mist/vapors/spray         |
| P261 | Avoid breathing                         |
|      | dust/fume/gas/mist/vapors/spray         |
| P264 | Wash face, hands, and any exposed       |
|      | skin thoroughly after handling          |
| P270 | Do not eat, drink or smoke when using   |
|      | this product                            |
| P273 | Avoid release to the environment        |
| P280 | Wear protective gloves/protective       |
|      | clothing/eye protection/face protection |
| P285 | In case of inadequate ventilation wear  |
|      | respiratory protection                  |
| P310 | Immediately call a POISON CENTER or     |
|      | doctor/physician                        |

| P314           | Get Medical advice/attention if you feel  |
|----------------|---|
| P321           | unwell<br>Specific treatment (see first aid<br>treatment on SDS)  |
| P363           | Wash contaminated clothing before reuse   |
| P390           | Absorb spillage to prevent material damage  |
| P391           | Collect spillage  |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do<br>NOT induce vomiting  |
| P303+P361+P353 | IF ON SKIN (or hair): Remove/Take off<br>immediately all contaminated clothing.<br>Rinse skin with water/shower                                       |
| P304+P340      | IF INHALED: Remove victim to fresh air<br>and keep at rest in a position<br>comfortable for breathing   |
| P304+P341      | IF INHALED: If breathing is difficult,<br>remove victim to fresh air and keep at<br>rest in a position comfortable for                                |
| P305+P351+P338 | breathing<br>IF IN EYES: Rinse cautiously with<br>water for several minutes. Remove<br>contact lenses if present and easy to<br>do – continue rinsing |
| P307+P311      | IF exposed: Call a POISON CENTER or<br>doctor/physician   |
| P342+P311      | If experiencing respiratory symptoms<br>call a POISON CENTER or<br>doctor/physician   |
| P405           | Store locked up   |
| P406           | Store in a corrosive resistant container  |
| P501           | with a resistant inner liner<br>Dispose of contents/container in<br>accordance with<br>local/regional/national/international<br>regulations           |

Danger



Section 3: Composition/Information on Ingredients

| Chemical Name / CAS No.                   | OSHA Exposure Limits | ACGIH Exposure Limits       | Other Exposure Limits                    |
|---|----------------------|-----------------------------|--|
| Phosphoric acid<br>7664-38-2<br>10 to 20% | 1 mg/m3 TWA          | 3 mg/m3 STEL<br>1 mg/m3 TWA | NIOSH: 1 mg/m3 TWA<br>3 mg/m3 STEL       |
| Hydrogen chloride<br>7647-01-0<br>1 to 5% |                      | 2 ppm Ceiling               | NIOSH: 5 ppm Ceiling;<br>7 mg/m3 Ceiling |
| Trade Secret<br>1 to 5%                   |                      |                             |  |

### Section 4: First-aid Measures

### Inhalation

Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To prevent aspiration, keep head below knees.

### Eye Contact

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

### Skin Contact

Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash clothing separately and clean shoes before reuse.

### Ingestion

If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

### Section 5: Fire-fighting Measures

Extinguishing Media Water spray, foam, carbon dioxide, dry chemical.

Specific Hazards Arising from the Chemical Reacts with most metals, especially when dilute: Hydrogen gas release (Extremely flammable, explosive).

### **Special Protective Equipment and Precautions for Firefighters**

Special Information: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

### Section 6: Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASE OR SPILLED: Wear appropriate personal protective equipment. (See Exposure Controls / Personal Protection Section.)Eliminate all ignition sources. Prevent additional discharge of material if able to do so safely. Do not touch or walk through spilled material. Avoid runoff into storm sewers and ditches which lead to waterways. Ventilate spill area. Stay upwind of spill. A vapor suppressing foam may be used to reduce vapors. Collect spilled materials for disposal. Use only non-combustible material for clean-up. Use clean, non-sparking tools to collect absorbed materials. Remove from surface by skimming or with suitable absorbents. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Recover by pumping (use an explosion proof or hand pump).

### Section 7: Handling and Storage

HANDLING: Use only in a well ventilated area. Avoid breathing vapor, fumes or mist. Avoid contact with eyes, skin, and clothing. Ground and bond containers when transferring material. Always open containers slowly to allow any excess pressure to vent. Follow all MSDS/label precautions even after containers are emptied because they may retain product residues.

STORAGE: Keep away from heat, sparks, and flame. Store containers in a cool, well ventilated place. Keep container closed when not in use. Protect from direct sunlight.

| Section 8: Exposure Control/Personal Chemical Name / CAS No. | OSHA Exposure Limits | ACGIH Exposure Limits       | Other Exposure Limits                    |
|--|----------------------|-----------------------------|--|
| Phosphoric acid<br>7664-38-2                                 | 1 mg/m3 TWA          | 3 mg/m3 STEL<br>1 mg/m3 TWA | NIOSH: 1 mg/m3 TWA<br>3 mg/m3 STEL       |
| Hydrogen chloride<br>7647-01-0                               |                      | 2 ppm Ceiling               | NIOSH: 5 ppm Ceiling; 7<br>mg/m3 Ceiling |
| Trade Secret<br>N/A  |                      |                             |  |

**RESPIRATORY PROTECTION:** A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.

SKIN PROTECTION: Wear impervious protective gloves. Wear protective gear as needed - apron, suit, boots.

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield.

**OTHER PROTECTIVE EQUIPMENT:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**HYGENIC PRACTICES:** Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors. Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash hands before eating.

Section 9: Physical and Chemical Properties

Appearance: Clear, blue liquid Vapor Pressure: Unknown Vapor Density: Unknown Density: Unknown Freezing point: Unknown Boiling range: Unknown Evaporation rate: Unknown Explosive Limits: Unknown Autoignition temperature: Unknown Viscosity: Unknown

| Odor: Unknown                      |
|------------------------------------|
| Odor threshold: Unknown            |
| <b>pH:</b> Unknown                 |
| Melting point: Unknown             |
| Solubility: Complete               |
| Flash point: Unknown               |
| Flammability: Unknown              |
| Specific Gravity 1.13              |
| Decomposition temperature: Unknown |
| Grams VOC less water: Unknown      |

| Section 10: Stability and Reactivity | Section | 10: Stabil | itv and Rea | ctivitv |
|--------------------------------------|---------|------------|-------------|---------|
|--------------------------------------|---------|------------|-------------|---------|

# Chemical Stability:

STABLE

Incompatible Materials This product may react with strong alkalies. Explosive hydrogen gas may be released if aqueous solutions of this material come into contact with reactive metals. Conditions to Avoid Excessive heat. Hazardous Decomposition Products Hydrogen gas, chlorine gas, hydrogen chloride gas. Toxic fumes of phosphorus pentoxide.

Hazardous Polymerization

Hazardous polymerization will not occur.

# Mixture Toxicity

Oral Toxicity LD50: 3,248mg/kg Inhalation Toxicity LC50: 40mg/L

Skin

Routes of Entry: Inhalation Ingestion Skin contact Eye contact

Eyes

## Respiratory System

### **Effects of Overexposure**

**Emergency Overview** 

Corrosive to eyes and skin. Harmful if swallowed. Inhalation may cause damage to the upper respiratory tract. Acute Health Effects Corrosive to all body tissues with which it comes in contact. Inhalation of spray or mist may

result in various degrees of irritation or damage to the respiratory tract tissues.

CAS Number Description % Weight Carcinogen Rating Section 12: Ecological Information **Component Ecotoxicity** Section 13: Disposal Considerations Dispose of in accordance with local, state and federal regulations. Section 14: Transportation Information **UN Code: 1760** DOT Name: Compound cleaning liquid (phosphoric acid, hydrochloric acid) Hazard Class: 8 Package Code: III Section 15: Regulatory Information **CERCLA/SARA Hazardous Substances** 7647-01-0 Hydrogen chloride 7664-38-2 Phosphoric acid **DEA List I and II Chemicals** 7647-01-0 Hydrogen chloride **OSHA Process Safety Management Highly Hazardous Chemicals** 7647-01-0 Hydrogen chloride U.S. Clean Air Act Toxic and Flammable Substances 7647-01-0 Hydrogen chloride **SARA 313** 7647-01-0 Hydrogen chloride

## Country

**Regulation** 

All Components Listed

### Date Prepared: 8/30/2018

### Disclaimer

The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures . Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.