

HAVILAND CONSUMER PRODUCTS, INC
SAFETY DATA SHEET



Section 1: Identification

Product Name: Proteam Spa pH Increaser (Dry) Product Code: C003941

Haviland Consumer Products, Inc.
421 Ann Street NW
Grand Rapids, MI 49504
(616) 361-6691

Emergency Phone:

CHEMTREC: Canada and USA - (800) 424-9300

CHEMTREC: In Mexico - 01-800-681-9531

Product Use: Spa Use

Not recommended for: NA

Section 2: Hazard(s) Identification

GHS Ratings:

Eye corrosive

2A

Eye irritant: Subcategory 2A, Reversible in 21 days

GHS Hazards

H319 Causes serious eye irritation

GHS Precautions

P264 Wash face, hands, and any exposed skin thoroughly after handling
P280 Wear protective gloves/protective clothing/eye protection/face protection
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P337+P313 If eye irritation persists get medical advice/attention

Warning



Section 3: Composition/Information on Ingredients

| Chemical Name / CAS No. | OSHA Exposure Limits | ACGIH Exposure Limits | Other Exposure Limits |
|----------------------------------------------|----------------------|-----------------------|-----------------------|
| Disodium carbonate 497-19-8 90 to 100% | | | |

Section 4: First-aid Measures

Inhalation

Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To prevent aspiration, keep head below knees.

Eye Contact

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

Skin Contact

Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash clothing separately and clean shoes before reuse.

Ingestion

If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

| |
|------------------------------------------|
| Section 5: Fire-fighting Measures |
|------------------------------------------|

Extinguishing Media

Water, water fog, CO2, dry chemical

Specific Hazards Arising from the Chemical**Hazardous combustion products:**

Fumes of Sodium Oxide

Special Protective Equipment and Precautions for Firefighters

Special Information: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

| |
|-----------------------------------------------|
| Section 6: Accidental Release Measures |
|-----------------------------------------------|

Personal precautions

Avoid dust formation. Sweep up to prevent slipping hazard.

Methods for containment

Prevent large quantities of this product from contacting vegetation or waterways. Cover with plastic sheet to prevent spreading Pick up and transfer to properly labeled containers Keep in suitable and closed containers for disposal

Methods for cleaning up

Sweep or vacuum up spillage and return to container. Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal.

| |
|----------------------------------------|
| Section 7: Handling and Storage |
|----------------------------------------|

HANDLING: Use only in a well ventilated area. Avoid breathing vapor, fumes or mist. Avoid contact with eyes, skin, and clothing. Ground and bond containers when transferring material. Always open containers slowly to allow any excess pressure to vent. Follow all MSDS/label precautions even after containers are emptied because they may retain product residues.

STORAGE: Keep away from heat, sparks, and flame. Store containers in a cool, well ventilated place. Keep container closed when not in use. Protect from direct sunlight.

| |
|--------------------------------------------------------|
| Section 8: Exposure Control/Personal Protection |
|--------------------------------------------------------|

| Chemical Name / CAS No. | OSHA Exposure Limits | ACGIH Exposure Limits | Other Exposure Limits |
|--------------------------------|----------------------|-----------------------|-----------------------|
| Disodium carbonate 497-19-8 | | | |

RESPIRATORY PROTECTION: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.

SKIN PROTECTION: Wear impervious protective gloves. Wear protective gear as needed - apron, suit, boots.

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield.

OTHER PROTECTIVE EQUIPMENT: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

HYGENIC PRACTICES: Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors. Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash hands before eating.

Section 9: Physical and Chemical Properties

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Freezing point: Unknown</p> <p>Boiling range: Decomposes</p> <p>Evaporation rate: Unknown</p> <p>Explosive Limits: Unknown</p> <p>Autoignition temperature: Unknown</p> <p>Viscosity: Unknown</p> <p>Appearance: White granular</p> <p>Vapor Pressure: Unknown</p> <p>Vapor Density: Unknown</p> <p>Density: Unknown</p> | <p>Solubility: 33.2% Maximum</p> <p>Flash point: Unknown</p> <p>Flammability: Unknown</p> <p>Specific Gravity: Unknown</p> <p>Decomposition temperature: Unknown</p> <p>Grams VOC less water: Unknown</p> <p>Odor: odorless</p> <p>Odor threshold: Unknown</p> <p>pH: 11.4 (1% solution)</p> <p>Melting point: 851°C</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Section 10: Stability and Reactivity

Chemical Stability:

STABLE

Incompatible Materials

Aluminum powder, acids, fluorine, molten lithium

Conditions to Avoid

Unknown

Hazardous Decomposition Products

Heated to decomposition, it emits fumes of sodium oxide.

Hazardous Polymerization

Hazardous polymerization will not occur.

Section 11: Toxicology Information

Mixture Toxicity

Oral Toxicity LD50: 4,090mg/kg

Dermal Toxicity LD50: 2,210mg/kg

Inhalation Toxicity LC50: 2mg/L

Routes of Entry:

Inhalation

Ingestion

Skin contact

Eye contact

Effects of Overexposure

Emergency Overview

Harmful if swallowed. May cause skin and eye irritation.

Acute Health Effects

Contact with eyes or skin may result in irritation. Ingestion may result in gastric disturbances.

Inhalation may irritate the respiratory tract.

CAS Number

Description

% Weight

Carcinogen Rating

Section 12: Ecological Information**Component Ecotoxicity**

Disodium carbonate

96 Hr LC50 *Lepomis macrochirus*: 300 mg/L [static]; 96 Hr LC50 *Pimephales promelas*: 310 - 1220 mg/L [static]
48 Hr EC50 *Daphnia magna*: 265 mg/L

Section 13: Disposal Considerations

Dispose of in accordance with local, state and federal regulations.

Section 14: Transportation Information

Water Treatment Compound Non-Regulated

Section 15: Regulatory Information

Country

Regulation

All Components Listed

Section 16: Other Information

Date Prepared: 2/11/2020

Disclaimer

The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.